Child Sexual Abuse - Pubertal

Clinical Practice Guideline

Monroe Carell Jr. Children's Hospital at Vanderbilt

Coordinate with Social Work to obtain history from caregiver **without child present.** Consider basic information from adolescent (alone) if caregiver is unable to provide information.

Important information to gather from caregiver only:

- Timing of last contact
- Type of contact (penile-genital, digital-genital, etc.)
- Age/relation of perpetrator
- Anogenital s/sx
- Consent (Labs, Meds, Exam, Evidence Collection)

Non-Acute (last contact was >120 hours)

Acute (last contact was <120 hours)
if patient ≥16 – Call Adult SANE team

No anogenital concerns

Defer anogenital exam to Our Kids

If + anogenital concerns

Consider minimal external anogenital examination to assess for abnormality/injury

If no injury and no concerning findings

If + injury and/or concerning findings

If no anogenital concerns

Consider deferring anogenital exam to Our Kids

Urgent questions or concerns

NO

NO

YES

M-F 8a-4:30p

Call Our Kids to make appt
AND
Call in referral to DCS hotline and/ or law enforcement where crime occured

After hours
Instruct family to contact Our Kids M-F 8a-4:30p to make appt
AND
Call in referral to DCS hotline and/ or law enforcement where crime occured

Call Our Kids provider to discuss plan

Is a surgical consult needed

NO

YES

YES

If anorectal concern please consult Our Kids and Pediatric Surgery

If urogenital concern please consult Our Kids and Pediatric Urology

Requiring re-assessment or PSH therapy > Q2H and on floor?

Yes

Consider ICU RRT